

AGENDA
PUBLIC WORKS COMMITTEE
Wednesday, August 4th 8:30 a.m.

Members: Chatfield, Kolczynski, Spickerman, Verno, Emmel

8:30 a.m. **Approve minutes from previous meeting**

8:30 a.m. **Weights and Measures, Rich Molisani**

Monthly Report [W&M July 2021 Monthly Report.pdf](#)

8:35 a.m. **Soil and Water Conservation District, Lindsey Gerstenslager**

Office Update

[S&W WC Public Works Committee 8.4.2021.pdf](#)

8:40 a.m. **Public Works, Kevin Rooney**

DISCUSSION:

- 9 Pearl Street Project
- Crescent Beach REDI Project



P.O. Box 369
Lyons, New York 14489
Telephone: (315) 946-5620

**WAYNE COUNTY
DEPARTMENT OF
WEIGHTS MEASURES - CONSUMER AFFAIRS
PUBLIC WORKS COMMITTEE MONTHLY REPORT**

July 2021

Richard Molisani, Jr.
Director

Monthly Device Inspection Test Results

<i>Device Type</i>	<i>Total Devices</i>	<i>Results of Initial Tests</i>						<i>Total Rechecks</i>	<i>Incorrect Visual Inspection</i>	<i>No. Devices Not Tested</i>
		<i>Total Initial</i>	<i>Test Correct</i>		<i>Test Incorrect</i>					
			<i>Correct</i>	<i>%</i>	<i>Plus</i>	<i>Minus</i>	<i>Other</i>			
Computing Scale	12	11	10	91%	0	1	0	1	1	0
Pre-Pack Scale	2	2	2	100%	0	0	0	0	0	0
Customer Scale										
Vehicle Scale	7	4	2	50%	1	1	0	3	0	0
Monorail Scale										
Prescription Scale										
Hopper/Batch/Tank Scale										
Platform Scale	13	13	13	100%	0	0	0	0	1	0
Livestock Scale										
Miscellaneous Scale	8	8	8	100%	0	0	0	0	0	0
Petroleum Pump	203	184	169	92%	1	1	13	19	11	0
Petroleum Meter VTM										
Meter Other										
Rack Meter										
Liquid Measure										
Volumetric Measure										
Linear Measure										
Linear Measuring Device										
Timing Device	15	14	12	86%	0	0	2	1	4	0
Taximeter										
Miscellaneous Device										
LPG Meters										
Non-Commercial Devices	2	2	2	100%	0	0	0	0	0	0
Weights Pharmacy										
Weights Other	17	17	17	100%	0	0	0	0	0	0

Package Checking

Samples Collected

Gasoline	23
Diesel Fuel	3

Fines

<i>No.</i>	1	<i>Total:</i>	100
------------	---	---------------	-----

Misc. Packages checked not reported, rough guess: 0



P.O. Box 369
Lyons, New York 14489
Telephone: (315) 946-5620

WAYNE COUNTY
DEPARTMENT OF
WEIGHTS MEASURES - CONSUMER AFFAIRS
PUBLIC WORKS COMMITTEE MONTHLY REPORT

July 2021

Richard Molisani, Jr.
Director

Scanner Pricing Accuracy

<i>Type of Inspection</i>	<i># of Inspections</i>	<i># Items Checked</i>	<i># Over Charges</i>	<i># Under Charges</i>	<i>Not on File</i>	<i># Insp Failed</i>	<i>% Failed</i>
Complaint - Individual Items							
Audit Inspections							
Full Inspections							
Reinspections - Audit or Full							

Establishment Vists: 54

Notes: 2 Complaints, both resolved



WC PUBLIC WORKS COMMITTEE

SWCD REPORT

AUGUST 4, 2021

Dear Public Works Committee and Board of Supervisors:

I apologize as this is one of the very few weeks, I could sneak away for leave with my farming family and had been planned since September of last year. In the attached are some updates on specific programs and water quality conditions for the community in the last month. If you have any questions, please send me an email and I will be back with you when I return!

Lindsay@WayneSWCD.org Have a great August!

Lindsay

INTRODUCTION



- WEEKLY WQ ASSESSMENTS
- CHANGES IN JULY TO THE WATERSHED
 - LOCAL ISSUES DUE TO THESE CHANGES
- WATERFRONT CONCERNS
 - AQUATIC VEGETATIVE CONTROL PROGRAM REVIEW REQUESTED
- AG DRAINAGE PROGRAM UPDATE
- AQUATIC VEGETATIVE CONTROL PROGRAM UPDATE

WATER QUALITY ASSESSMENTS

- WQ ASSESSMENTS CONTINUE AT A MINIMUM OF TWO POINTS AT EACH EMBAYMENT ALONG THE SHORELINE OF LAKE ONTARIO.
 - INCLUDES PULTNEYVILLE HARBOR, MAXWELL BAY/CREEK, SODUS BAY (5 PTS), EAST BAY, PORT BAY AND BLIND SODUS BAY.
 - CONDITIONS REMAIN UNREMARKABLE AND NATURAL TO THE WEATHER CONDITIONS WE ARE EXPERIENCING: HIGHER HUMIDITY WITH LOWER TEMPERATURES ARE DECREASING CHANCES FOR BAY TURN OVER AND WEED GROWTH THUS CAUSING SLOWER CHANGES IN THE WATERFRONT, LESS SUN PENETRATION AND MORE NATURAL ALGAL GROWTH SUSPENDED AND VISABLE.

Cladophora is being seen along every shoreline. It is normal for this time of year but appears to be more due to the lack of water level concentrations. Almost soup (bisque) like.



July 21, 2021 Port Bay West Port Bay Road side Algal Bloom Development due to lack of water movement:

Solution: Door Hanger Campaign in partnership with All Lake Owner Associations to keep water moving. Distributed 7/28/2021 (sample in your mailboxes)



KNOW IT, AVOID IT, REPORT IT

KNOW IT

Algal blooms are a natural part of the lake ecosystem. However, some algal blooms can be harmful to humans and animals. These blooms are often caused by excess nutrients in the water, which can come from lawn fertilizers, car washes, and other sources.

AVOID IT

Stay away from algal blooms. Do not drink water from algal blooms. Do not swim in algal blooms. Do not feed animals near algal blooms.

REPORT IT

Report algal blooms to the appropriate authorities. This information is provided for informational purposes only. It is not intended to be a substitute for professional advice. For more information, visit www.nys.gov.

NYS REPORTING

WATER CHESTNUT HAND PULLS ON PORT BAY JULY 8/9, 2021

Scheduled: South of Sodus Bay Bridge Handpull 7/29/2021 with 30 volunteers from FLPRISM and NYS Parks



AQUATIC VEGETATION CONTROL AKA WEED HARVESTING

- STILL ON SODUS BAY PROVIDING SERVICES DUE TO A BROKEN TRAILER, WHICH IS UNSAFE TO MOVE EQUIPMENT. IS BEING FIXED CURRENTLY BY EAGLE WELDING IN WOLCOTT. HOPES TO HAVE IT UP AND RUNNING IN A WEEK OR SO.
- LAKE LEVEL ROSE 5" SINCE 7.9.2021 DUE TO THE 10+ INCHES OF RAIN. LAKE CURRENTLY IS AT 245.7
- PROGRAM IS REVISITING AREAS WE COULD NOT ACCESS EARLIER IN THE SEASON AND CLEANING UP. SOME AREAS ARE STILL TOO LOW TO ACCESS.



BAY CONCERNS BY SODUS BAY, PORT BAY & BLIND SODUS BAY

- SEVERAL RESIDENTS ARE ASKING FOR A REVIEW OF THE PROGRAM TO BE ABLE TO PROVIDE "MORE" SERVICES THROUGHOUT THE SEASON.
- THIS YEAR THINGS ARE COMPOUNDED BY LOW WATER AND ACCESS AND CONSTRUCTION. SEVERAL OF OUR REGULAR ACCESS POINTS ARE UNUSABLE BY NYSDEC AND PRIVATE RESIDENTS DUE TO CONSTRUCTION CATCHUP FROM 2020.
- THIS FALL THE DISTRICT WILL BE RUNNING SCENARIOS INTERNALLY TO ASSESS POTENTIAL AND FUTURE OPPORTUNITIES FOR UPDATING THE WEED HARVESTING (AQUATIC VEGETATIVE CONTROL) PROGRAM.
- THIS WILL BE REVIEWED WITH THE PW COMMITTEE AND BUDGET COMMITTEE FOR PLANNING

AG DRAINAGE



- PROJECT IN PROCESS: WEIDRICK ROAD DITCH IN MACEDON – STARTING SOON (MAYBE 1ST WEEK OF AUGUST IF WEATHER COOPERATES)
- PROJECT COMPLETED: RYDER ROAD (ARCADIA), DUTCH STREET (HURON), KELSEY 1 & 2 STREET(ROSE/GALEN)
- OF 12 PROJECTS ON THE ROTATION LIST, LIKE 7 WILL BE COMPLETED WITH CURRENT BUDGET
- IN ORDER TO KEEP UP WITH THE ROTATIONAL MAINTENANCE ON AVERAGE \$92,000.00 WOULD BE NEEDED ANNUALLY TO SUPPORT THE PROGRAM MAINTENANCE.
 - THIS DOES NOT INCLUDE ANY NEW OR EMERGENCY FUNDING FOR AG DRAINAGE.
 - THIS INFORMATION IS BASED ON A 2 YEAR PROJECT REVIEW ASSESSMENT OF THE PROGRAM OVER THE LAST 30 YEARS.

REDI UPDATE



- BLIND SODUS BAY: WEST BLUFF:
 - PERMITS SUBMITTED, NOTICE OF INCOMPLETE APPLICATION REVIEWED & REVIEWED, RESUBMITTAL JULY 30TH.
- BLIND SODUS BAY: EAST BARRIER BAR:
 - SEQR DECLARATION OF IMPACTS MEETING WAS JULY 12TH. UPDATED INFORMATION WILL BE POSTED FOR VIEWING ON DISTRICT WEBSITE SHORTLY.
 - MODELING INFORMATION SHARING BETWEEN PORT BAY AND BLIND SODUS BAY FOR EFFICIENCIES OF CONSULTANT INFORMATION SHARING
 - DESIGN REVIEW & ESTIMATE SEPTEMBER/OCTOBER
 - PERMITTING PACKAGE SUBMITTAL LATER THIS FALL
- PORT BAY BARRIER BAR PROJECT:
 - REVIEW OF 60% BASED ON MODELING. UPDATING INFORMATION FOR SEQR PROCESS WITH HOPES OF DECLARATION OF IMPACTS MEETING MID AUGUST

All on schedule and moving forward